

Product sheet



LCS³ LEGRAND

HD fibre optic modular panel 19 inches 1U to be equipped

REF. 032175 | EAN. 3414971929173

This high density modular panel 19 inches accomodates fibre optic terminations with modularity thanks to a large choice of preterminated, spliced and copper cassettes.

> [Visit e-catalogue](#)

Description

This high density modular panel 19 inches accomodates fibre optic terminations with modularity thanks to a large choice of preterminated, spliced and copper cassettes.

Product characteristics


- Height 1U
- For fibre optic splice or preterminated cassettes to reach up to 48 SC, 24 ST or 96 LC connectors.
- To equip with 4 standard cassettes or 8 slim cassettes.
- Equipped with new generation soluclip system : automatic fixing without screw on enclosure or cabinet uprights (with a thickness from 1,5 to 2mm max).
- Rear cable management and front cord management options.

Recommendation / Restriction


- Universal mounting on cabinets with automatic earthing on unpainted uprights. Earthing connection possible with cord and screw in case of painted uprights.

Documentation

TECHNICAL DOCUMENTATION

 S000110252FR-03.pdf | PDF (2.96Mo)

 LE11988AC.pdf | PDF (12.38Mo)

 S000110252EN-03.pdf | PDF (3.04Mo)

CAD & Design specs / BIM

19 inches modular drawers to be equipped with cassettes.rfa | RFA (2.05Mo)

Panneaux modulaires 19 pouces à équiper de cassettes.rfa | RFA (2.05Mo)

The product's benefits

Installation

- This panel is equipped with 19 inch quick fixing solution for automatic mounting (no screws required) and grounding.

Usage

- Cassettes used in this panel can be removed individually by simply pressing the button at the front for ease of maintenance.

Avantages

- With 19 inch quick fixing solution for automatic mounting (no screws required) and automatic grounding on 19" uprighth with conductive surface
- Scalability and space saving : mix fibre and copper in one U.

CATALOGUE PAGE & OTHERS

 ex223001_1001.pdf | PDF (0.08Mo)

Agreements & Certificates

 LGRP-01273-V01.01-EN.pdf | PDF (0.69Mo)

