

Product sheet



MOSAIC™ LEGRAND

KNX 4 channels control unit without label display

REF. 067571 | EAN. 3414970307910

> [Visit e-catalogue](#)

Product characteristics

- 4 channels control unit to control different system functions (eg : light, dimmer, shutter, HVAC, scenario, etc)
- Fitted with programmable RGB LEDs (12 colours available) for displaying load status and system status feedback
- 2 modules flush mounting installation

Recommendation / Restriction

- Configuration through ETS tool from KNX association to be completed with CELIANE plate

The product's benefits

Installation

- KNX mechanism completely suitable with the other parts of CELIANE switch: support, cover plate and esthetic cover Connected with the BUS/KNX cable

Usage

- Function flexibility: the same command could be configured for different functions for better user experience

Avantages

- Advanced control allowing priority management, counting, enable/disable, double action, conditional action
- RGB LED fully configurable in term of colors and blinking mode for displaying load status and system status feedback (normal, forced, override, day/night pilot light, etc.) and alarms
- Because a broad range of KNX devices communicate with each other, (even if they are from different manufacturer) KNX technology answers to high demands for smart home or building thanks to endless flexibility and personalization

Documentation

TECHNICAL DOCUMENTATION



LE07602AA.pdf | PDF (9.21Mo)







FT-S000080904FR-3.pdf | PDF (6.06Mo)

CATALOGUE PAGE & OTHERS



ex223001_0893.pdf | PDF (0.06Mo)

-  LE05504AB_EN.pdf | PDF (2.96Mo)
-  LE06564AA.pdf | PDF (0.08Mo)
-  LE05504AC_FR.pdf | PDF (6.12Mo)
-  FT-S000080904EN-3.pdf | PDF (6.03Mo)

CAD & Design specs / BIM

-  Autocad Library | ZIP (0.85Mo)

Software & configurators

-  ETS database | ZIP (8.46Mo)
-  ETS database | ZIP (0.26Mo)

Agreements & Certificates

-  KNX EIB-11/11032/13 | (0.21Mo)